



Mathematics	(C)	L.K.No. 1117	Paper Code No. 6195
Paper I	(Objective Type)	Inter -A- 2019	Session (2015 -17) to (2018 - 20)
Time :	30 Minutes	Inter (Part - I)	
Marks :	20		

Note : Four possible choices A, B, C, D to each question are given. Which choice is correct fill that circle in front of that Question No. Use Marker or Pen to fill the circles. Cutting or filling two or more circles will result in Zero Mark in that Question.

**BHW**

- Q.No.1 The matrix  $\begin{bmatrix} a & b & c & d \end{bmatrix}$  is : (A) Square (B) Unit (C) Null (D) Row
- (1) If  $A = \{a, \{a, b\}\}$ , then number of elements in  $P(A)$  is : (A) 2 (B) 3 (C) 4 (D) 8
- (2) The property used in  $(a+1) + \frac{3}{4} = a + (1 + \frac{3}{4})$  is :  
(A) Closure (B) Associative (C) Commutative (D) Additive
- (3) If Order of  $X = 3 \times 2$  and that of  $A = 2 \times 2$  then order of  $XA =$   
(A)  $3 \times 2$  (B)  $2 \times 3$  (C)  $2 \times 2$  (D)  $3 \times 3$
- (4) In  $\frac{P(x)}{Q(x)}$ , if degree of  $P(x) \geq$  degree of  $Q(x)$ , then fraction is :  
(A) Proper (B) Improper (C) Irrational (D) Identity
- (5) When  $x^3 - 2x^2 + 3x + 3$  is divided by  $x - 3$ , the remainder is :  
(A) -21 (B) 21 (C) -51 (D) 51
- (6) An equation which remains unchanged when  $x$  is replaced by  $\frac{1}{x}$  is :  
(A) Exponential (B) Radical (C) Reducible (D) Reciprocal
- (7) If  $a_n = \frac{(-1)^{n+1}}{2^n}$ , then  $a_5 =$  : (A)  $\frac{1}{8}$  (B)  $\frac{1}{16}$  (C)  $\frac{1}{32}$  (D)  $\frac{1}{64}$
- (8) A die is thrown, what is the probability to get 3 dots :  
(A)  $\frac{1}{3}$  (B)  $\frac{1}{6}$  (C)  $\frac{2}{3}$  (D)  $\frac{5}{6}$
- (9)  $\frac{8!}{7!} =$  (A) 7! (B) 7 (C) 8 (D) 8!
- (10) If H is H.M. between "a" and "b" then  $H =$  : (A)  $\frac{2ab}{a+b}$  (B)  $\frac{a+b}{2ab}$  (C)  $\frac{a+b}{2}$  (D)  $\pm\sqrt{ab}$
- (11) The Statement  $4^k > 3^k + 4$  is true for :  
(A)  $K < 2$  (B)  $K \leq 2$  (C)  $K \neq 2$  (D)  $K \geq 2$
- (12)  $\cos(\theta - 180^\circ) =$  : (A)  $\sin\theta$  (B)  $-\cos\theta$  (C)  $\cos\theta$  (D)  $-\sin\theta$
- (13)  $\frac{9\pi}{5}$  rad in degree measure is : (A)  $321^\circ$  (B)  $322^\circ$  (C)  $323^\circ$  (D)  $324^\circ$
- (14) Total number of terms in expansion of  $(\frac{x}{2} - \frac{2}{x^2})^{16}$  are :  
(A) 17 (B) 16 (C) 15 (D) 14
- (15) Period of  $\csc\theta$  is : (A)  $\pi$  (B)  $-\pi$  (C)  $2\pi$  (D)  $-2\pi$
- (16)  $\sin(\tan^{-1}0^\circ) =$  : (A) -1 (B) 1 (C) 0 (D)  $\infty$
- (17) Radius of e-circle opposite to vertex "A" of  $\triangle ABC$  is :  
(A)  $\frac{\Delta}{s}$  (B)  $\frac{\Delta}{s-a}$  (C)  $\frac{\Delta}{s-b}$  (D)  $\frac{\Delta}{s-c}$
- (18) The angle above the Horizontal Line is called an angle of :  
(A) Depression (B) Elevation (C) Allied (D) Quadrantal
- (19) The reference angle for  $\tan\theta = \sqrt{3}$  is : (A)  $\frac{\pi}{6}$  (B)  $\frac{-\pi}{6}$  (C)  $\frac{\pi}{3}$  (D)  $\frac{-\pi}{3}$
- (20)



Roll No.	1117 - 30000	Session (2015 -17) to (2018 - 20)	Inter (Part - I)
Mathematics (Subjective)	Inter - A -2019	Time 2 : 30 Hours	Marks : 80

Note : It is compulsory to attempt any (8 - 8) Parts each from Q.No. 2 and Q.No.3 while attempt any (9) Parts from Q.No.4. Attempt any (3) Questions from Part - II .Write same Question No. and its Part No. as given in the Question Paper.

Part - I

25 x 2 = 50

Q.No.2	(i)	If $Z_1$ and $Z_2$ are complex numbers then show that $\overline{Z_1 Z_2} = \overline{Z_1} \overline{Z_2}$	
	(ii)	If $A = \begin{bmatrix} 2 & 3 & -2 \\ -1 & 1 & 5 \end{bmatrix}$ and $B = \begin{bmatrix} 2 & -3 & 1 \\ 5 & 4 & -1 \end{bmatrix}$ then solve the equation $3x - 2A = B$ for $X$ .	
	(iii)	Separate into Real and Imaginary Parts $\frac{2-7i}{4+5i}$	(iv) If A and B are Overlapping Sets then draw the Venn Diagram of $A - B$
	(v)	Find the Multiplicative Inverse of $-3 - 5i$	(vi) Find Four 4 <sup>th</sup> Roots of 81
	(vii)	Define Intersection of two sets and give an example.	(viii) Without expansion show that : $\begin{vmatrix} 2 & 3 & -1 \\ 1 & 1 & 0 \\ 2 & -3 & 5 \end{vmatrix} = 0$
	(ix)	Define Identity Matrix and give an example.	(x) Show that the roots of $px^2 - (p-q)x - q = 0$ are rational.
	(xi)	If $\alpha, \beta$ are the roots of $x^2 - px - p - c = 0$ then prove that $(1+\alpha)(1+\beta) = 1-c$	(xii) Define Monoid.
Q.No.3	(i)	For the identity $\frac{1}{(x-1)(2x-1)(3x-1)} = \frac{A}{x-1} + \frac{B}{2x-1} + \frac{C}{3x-1}$ calculate the value of A	
	(ii)	Find the indicated term of the sequence : 2, 6, 11, 17, ----- $a_7$	
	(iii)	Write the first four terms of the A.P. if $a_1 = 5$ and other three consecutive terms are 23, 26, 29.	
	(iv)	Find the 12 <sup>th</sup> term of the Geometric Sequence : $1 + i, 2i, -2 + 2i, \dots$	
	(v)	The A.M. between two numbers a and b is 5 and their positive G.M. is 4, find the values of a and b.	
	(vi)	If 5 is the Harmonic Mean between 2 and b, find b.	
	(vii)	How many words can be formed from the letters of the word "OBJECT" using all letters without repeating any letter?	
	(viii)	Prove that $\frac{8 \times 10^n - 2}{6}$ is an integer for $n = 1$ and $n = 2$ .	
	(ix)	Find 6 <sup>th</sup> term in the expansion of $(x^2 - \frac{3}{2x})^{10}$	
	(x)	Expand $\sqrt{99}$ by using Binomial Expansion to find its value upto three places of decimals.	
	(xi)	Define Improper Rational Fraction.	
	(xii)	Resolve $\frac{1}{x^2 - 1}$ into Partial Fractions.	
Q.No.4	(i)	Define Degree Measure.	(ii) Solve $\sin x = \frac{1}{2}$
	(iii)	Find the solutions in $[0, 2\pi]$ $\cot \theta = \frac{1}{\sqrt{3}}$	(iv) Prove $\frac{\sin 8x + \sin 2x}{\cos 8x + \cos 2x} = \tan 5x$
	(v)	Prove that $\cos(\sin^{-1} x) = \sqrt{1 - x^2}$	(vi) Find the period of $\cot \frac{x}{2}$
	(vii)	If $\sin \theta = -\frac{1}{2}$ , terminal arm of $\theta$ is not in III Quadrant, find $\tan \theta$ .	
	(viii)	The area of a $\Delta ABC$ is 2437. If $a = 79$ and $c = 97$ , find the angle $\beta$ .	
	(ix)	Prove that $\Delta = \sqrt{s(s-a)(s-b)(s-c)}$	
	(x)	Prove that $(\sec \theta - \tan \theta)^2 = \frac{1 - \sin \theta}{1 + \sin \theta}$	
	(xi)	Prove $\sin(\alpha + \beta) \cdot \sin(\alpha - \beta) = \sin^2 \alpha - \sin^2 \beta$	
	(xii)	If $\beta = 52^\circ$ , $\gamma = 89^\circ 35'$ , $a = 89.35$ find the side b of a $\Delta ABC$	
	(xiii)	Prove $\sqrt{\frac{1 + \sin \alpha}{1 - \sin \alpha}} = \frac{\sin \frac{\alpha}{2} + \cos \frac{\alpha}{2}}{\sin \frac{\alpha}{2} - \cos \frac{\alpha}{2}}$	

P.T.O.